

Version #: 3,0  
 Issue date: 17-August-2017  
 Revision date: 27-June-2023  
 Supersedes date: 08-December-2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name or designation of the mixture** Kraton™ D Milled Polymers (SIS)

Nanoform.

**Registration number**

-

**Synonyms**

Suffixes designate location of manufacture, dusting agent, product form \* The Nanoform statement and information regarding Silica, amorphous which is listed in Sections 1 and 3 are applicable ONLY when these grades contain silica as a dusting agent (2nd suffix S). \* Synthetic amorphous silica is a nanostructured material according to the definition of ISO TS 80004-1 and as defined in Regulation 2011/696/EU, as amended. \* The silica dusting agent is composed of primary particles with a median size < 100 nm which are present as aggregates and agglomerates with a mean diameter scale range

**SDS number**

14424

**Product code**

D1114 PSM, D1119 PSM, D1161 PTM, D1163 PTM

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses**

Thermoplastic Elastomers for Advanced Materials, Adhesives, Sealants & Coatings, and Paving & Roofing.

**Uses advised against**

None known.

### 1.3. Details of the supplier of the safety data sheet

**Name** CORPORATE OFFICE  
 Kraton Corporation  
**Address** 15710 John F Kennedy Blvd., Suite 300  
 Houston, TX 77032, USA  
**Telephone** +1 281 504 4700

**Name** EUROPEAN CENTRAL OFFICE  
 Kraton Polymers Nederland B.V.  
**Address** Transistorstraat 16  
 1322 CE Almere, The Netherlands  
**Telephone** +31 (0) 36 546 2846  
**Email address** Product.Safety@Kraton.com

**Technical Support Line - International** +1 800 4 Kraton (572866) ; +1 281 504 4950

**Technical Support Line - EU** +31 (0) 36 546 2800

**Website** www.Kraton.com

### 1.4. Emergency telephone number

**CHEMTREC - Domestic:** +1 800 424 9300

**CHEMTREC - International:** +1 703 527 3887

**SGS ECLN:** +32 35 75 03 30

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

<b>Contains:</b>	Styrene-Isoprene-Styrene Polymer (SIS)
<b>Hazard pictograms</b>	None.
<b>Signal word</b>	None.
<b>Hazard statements</b>	The mixture does not meet the criteria for classification.

#### Precautionary statements

<b>Prevention</b>	Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Keep away from heat/sparks/open flames and hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard. Observe good industrial hygiene practices.
<b>Response</b>	Not available.
<b>Storage</b>	Store away from incompatible materials.
<b>Disposal</b>	Dispose of waste and residues in accordance with local authority requirements.

**Supplemental label information** None.

### 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. May form explosible dust-air mixture if dispersed. Static charge accumulation potential.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene-Isoprene-Styrene Polymer (SIS)	<100	25038-32-8	-	-	
<b>Classification: -</b>					
Silica, amorphous	<5	7631-86-9 231-545-4	-	-	
<b>Classification: -</b>					

#### Nanoform

Silica, amorphous	
Particle size	>0,1 µm Agglomerates
Particle size distribution	0 Not available
Mass mean diameter	0 Not available

## SECTION 4: First aid measures

**General information** Not available.

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed** Dusts may irritate the respiratory tract, skin and eyes. Prolonged contact may cause dryness of the skin.

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically. No specific antidotes are recommended.

## SECTION 5: Firefighting measures

**General fire hazards** May form combustible dust concentrations in air.

<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water spray. Apply extinguishing media carefully to avoid creating airborne dust.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>5.2. Special hazards arising from the substance or mixture</b>	High concentration of airborne dust may form explosive mixture with air. Static charges generated by emptying package in or near flammable vapour may cause flash fire. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special fire fighting procedures</b>	Wear suitable protective equipment. Use water spray to cool unopened containers.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Wear appropriate personal protective equipment.
<b>For emergency responders</b>	Keep unnecessary personnel away.
<b>6.2. Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.
<b>6.3. Methods and material for containment and cleaning up</b>	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk.  Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.  Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.
<b>6.4. Reference to other sections</b>	Not available.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Minimise dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Static electricity and formation of sparks must be prevented. Maintain a fire watch if material reaches 225°C (437°F). Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Store indoor. Keep in a cool, well-ventilated place. Store in original tightly closed container. Keep containers closed when not in use. Use care in handling/storage. Do not store outside. Care should be taken when storing and handling this product. Apart from the specific nature of the polymer product, conditions such as humidity, sunlight and temperature have an influence on the way the product behaves during storage and handling. Special attention should be paid to avoid inappropriate stacking of palletised bags or other package units. Indeed, polymer products may be dimensionally unstable under certain conditions. Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. To maintain product quality, do not store in heat or direct sunlight. Store at ambient temperature and atmospheric pressure. Guard against dust accumulation of this material. Do not stack Flexible Intermediate Bulk Containers (FIBCs) or palletised bags. Avoid storage under pressure or at elevated temperatures to minimise particulate clustering.
<b>7.3. Specific end use(s)</b>	Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	MAK	4 mg/m <sup>3</sup>	Inhalable fraction.
	STEL	20 mg/m <sup>3</sup>	Inhalable fraction.

**Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
		10 mg/m3	Respirable fraction.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Dust	MAK	5 mg/m3	Respirable fraction.
	STEL	10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
	STEL	10 mg/m3	Respirable fraction.
Talc	MAK	2 mg/m3	Respirable fraction.
	STEL	20 mg/m3	Inhalable fraction.
	STEL	10 mg/m3	Respirable fraction.

**Belgium. Exposure Limit Values**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Talc	TWA	2 mg/m3	

**Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m3	Inhalable fraction.
		0,07 mg/m3	Respirable fraction.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TWA	1 fibers/cm3	Respirable fraction.
		6 mg/m3	Inhalable fraction.
		3 mg/m3	Respirable fraction.

**Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	MAC	6 mg/m3	Total dust.
		0,1 mg/m3	Respirable dust.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	MAC	1 mg/m3	Respirable dust.

**Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.**

<b>Components</b>	<b>Type</b>	<b>Value</b>
Silica, amorphous (CAS 7631-86-9)	TWA	2 mg/m3
<b>Additional components</b>	<b>Type</b>	<b>Value</b>
Talc	TWA	706 part/cm3

**Czech Republic. OELs. Government Decree 361**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m3	Dust.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TWA	2 mg/m3	Respirable dust.
		10 mg/m3	Total dust.

**Denmark. Exposure Limit Values**

Additional components	Type	Value	Form
Talc	TLV	0,3 fibers/cm3	Fiber.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	2 mg/m3	Fine dust, respiratory fraction

**Finland**

Additional components	Type	Value	
Dust	TWA	5 mg/m3 10 mg/m3	

**Finland. Workplace Exposure Limits Components**

Components	Type	Value	
Silica, amorphous (CAS 7631-86-9)	TWA	5 mg/m3	

Additional components	Type	Value	Form
Talc	TWA	2 mg/m3 1 mg/m3	Inhalable dust. Respirable.

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	VME	5 mg/m3	Respirable fraction.

**Regulatory status:** Regulatory binding (VRC)

10 mg/m3 Inhalable fraction.

**Regulatory status:** Regulatory binding (VRC)

Additional components	Type	Value	Form
Dust	VME	5 mg/m3	Respirable fraction.

**Regulatory status:** Regulatory binding (VRC)

10 mg/m3 Inhalable fraction.

**Regulatory status:** Regulatory binding (VRC)

Talc	VME	5 mg/m3	Respirable fraction.
------	-----	---------	----------------------

**Regulatory status:** Regulatory binding (VRC)

10 mg/m3 Inhalable fraction.

**Regulatory status:** Regulatory binding (VRC)

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	0,5 mg/m3	Respirable fraction.

Additional components	Type	Value	Form
Dust	TWA	4 mg/m3	Inhalable dust.
Talc	TWA	4 mg/m3	Inhalable dust.

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	AGW	4 mg/m3	Inhalable fraction.

Additional components	Type	Value	Form
Dust	AGW	10 mg/m3 1,25 mg/m3	Inhalable fraction. Respirable fraction.
Talc	AGW	10 mg/m3 1,25 mg/m3	Inhalable fraction. Respirable fraction.

**Greece. OELs (Decree No. 90/1999, as amended)**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TWA	2 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable. Inhalable

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TWA	2 mg/m <sup>3</sup>	Respirable dust.

**Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Dust	TWA	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable dust. Total dust.
Talc	TWA	0,3 fibers/cm <sup>3</sup> 5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Fiber. Respirable dust. Total dust.

**Ireland. Occupational Exposure Limits Components**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	TWA	6 mg/m <sup>3</sup> 2,4 mg/m <sup>3</sup>	Total inhalable dust. Respirable dust.
Dust	TWA	4 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable dust. Total inhalable dust.
Talc	TWA	10 mg/m <sup>3</sup> 0,8 mg/m <sup>3</sup>	Total inhalable dust. Respirable dust.

**Italy. Occupational Exposure Limits Additional components**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TWA	2 mg/m <sup>3</sup>	Respirable fraction.

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	TWA	1 mg/m <sup>3</sup>	
Dust	TWA	5 mg/m <sup>3</sup>	Dust.

**Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Silica, amorphous (CAS 7631-86-9)	TWA	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable fraction. Inhalable fraction.
Dust	TWA	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable fraction. Inhalable fraction.
Talc	TWA	2 mg/m <sup>3</sup> 1 mg/m <sup>3</sup>	Inhalable fraction. Respirable fraction.

**Netherlands**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Dust	TWA (MAC)	5 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable dust. Total dust.

**Netherlands. OELs (binding) Additional components**

<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TWA	0,25 mg/m <sup>3</sup>	Respirable dust.

**Norway. Administrative Norms for Contaminants in the Workplace**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	TLV	1,5 mg/m <sup>3</sup>	Respirable dust.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Talc	TLV	6 mg/m <sup>3</sup> 2 mg/m <sup>3</sup>	Total dust. Respirable dust.

**Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)**

Additional components	Type	Value	Form
Talc	TWA	4 mg/m <sup>3</sup> 1 mg/m <sup>3</sup>	Inhalable fraction. Respirable fraction.

**Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)**

Additional components	Type	Value	Form
Talc	TWA	2 mg/m <sup>3</sup>	Respirable fraction.

**Romania. OELs. Protection of workers from exposure to chemical agents at the workplace**

Additional components	Type	Value	Form
Talc	TWA	2 mg/m <sup>3</sup>	Respirable fraction.

**Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents**

Additional components	Type	Value	Form
Dust	TWA	10 mg/m <sup>3</sup>	Dust.
Talc	TWA	2 mg/m <sup>3</sup> 2 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable fraction. Respirable fraction. Total

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>	Inhalable fraction.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Dust	TWA	10 mg/m <sup>3</sup> 1,25 mg/m <sup>3</sup>	Inhalable fraction. Respirable fraction.
Talc	TWA	10 mg/m <sup>3</sup> 1,25 mg/m <sup>3</sup>	Inhalable fraction. Respirable fraction.

**Spain. Occupational Exposure Limits**

Components	Type	Value	Form
Silica, amorphous (CAS 7631-86-9)	TWA	3 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable fraction. Inhalable fraction.
<b>Additional components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
Dust	TWA	3 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>	Respirable fraction. Inhalable fraction.
Talc	TWA	2 mg/m <sup>3</sup>	Respirable fraction.

**Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended**

Additional components	Type	Value	Form
Talc	TWA	2 mg/m <sup>3</sup> 1 mg/m <sup>3</sup>	Total dust. Respirable dust.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz**

Components	Type	Value
Silica, amorphous (CAS 7631-86-9)	TWA	4 mg/m <sup>3</sup>

**Switzerland. SUVA Grenzwerte am Arbeitsplatz**

Additional components	Type	Value	Form
Dust	TWA	3 mg/m <sup>3</sup>	Respirable dust.
		10 mg/m <sup>3</sup>	Inhalable dust.
Talc	TWA	3 mg/m <sup>3</sup>	Respirable fraction.

  

UK. EH40 Workplace Exposure Limits (WELs)			
Additional components	Type	Value	Form
Dust	TWA	4 mg/m <sup>3</sup>	Respirable dust.
		10 mg/m <sup>3</sup>	Inhalable dust.
Talc	TWA	1 mg/m <sup>3</sup>	Respirable dust.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. Evaluate the need of classified electrical equipment. Prevent electrostatic charge build-up by using common bonding and grounding techniques.

**Individual protection measures, such as personal protective equipment**

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin protection**

**- Hand protection** Gloves are recommended for prolonged use. When handling hot material, use heat resistant gloves.

**- Other** Wear suitable protective clothing.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Dust Mask.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Environmental manager must be informed of all major releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Solid.
<b>Form</b>	Ground/Powder
<b>Colour</b>	White.
<b>Odour</b>	Odourless.
<b>Melting point/freezing point</b>	Not available.
<b>Boiling point or initial boiling point and boiling range</b>	Not applicable.
<b>Flammability</b>	The product is not flammable.

**Upper/lower flammability or explosive limits**

**Explosive limit - lower (%)** Not applicable.

**Explosive limit - lower (%) temperature** Not applicable.

**Explosive limit – upper (%)** Not applicable.



<b>Explosive limit - upper ( % ) temperature</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>pH</b>	Not applicable.
<b>Kinematic viscosity</b>	Not available.
<b>Solubility</b>	
<b>Solubility (water)</b>	Insoluble
<b>Partition coefficient (n-octanol/water) (log value)</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Density and/or relative density</b>	
<b>Relative density</b>	> 0,88 - < 0,95
<b>Vapour density</b>	Not available.
<b>Particle characteristics</b>	Not available.

## 9.2. Other information

**9.2.1. Information with regard to physical hazard classes** No relevant additional information available.

### 9.2.2. Other safety characteristics

#### Dust explosion properties

**Kst** <200 bar.m/s Kst = 1

**Evaporation rate** Not applicable.

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Risk of self-heating and self-ignition under long term exposure to high temperatures. No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Keep away from heat, sparks and open flame. Minimise dust generation and accumulation. Avoid exposure to high temperatures or direct sunlight.
<b>10.5. Incompatible materials</b>	Strong oxidising agents.
<b>10.6. Hazardous decomposition products</b>	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

**Inhalation** Inhalation of vapours/fumes generated by heating this product may cause respiratory irritation with throat discomfort, coughing or difficulty breathing. Inhalation of dusts may cause respiratory irritation.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Health injuries are not known or expected under normal use. Dust in the eyes will cause irritation.

**Ingestion** Health injuries are not known or expected under normal use.

**Symptoms** Direct contact with eyes may cause temporary irritation.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Acute toxicity</b>	Not classified.	
Styrene-Isoprene-Styrene Polymer (SIS)		USP Systemic Toxicity Study in Mice – Extract:, No significant and/or relevant adverse effects reported.; for a representative substance.
<b>Skin corrosion/irritation</b>	Not classified.	
<b>Irritation Corrosion - Skin</b>		
Styrene-Isoprene-Styrene Polymer (SIS)		USP Intracutaneous Study in Rabbits – Extract:, for a representative substance. Result: Negative.
<b>Serious eye damage/eye irritation</b>	No data available.	
<b>Respiratory sensitisation</b>	No data available.	
<b>Skin sensitisation</b>	Not classified.	

**Sensitisation**

Styrene-Isoprene-Styrene Polymer (SIS)

Tests for irritation and skin sensitization, for a representative substance.

Result: Negative.

Notes: ISO 10993-10 Guinea Pig Maximization Sensitization Test

**Germ cell mutagenicity** Not classified.**Mutagenicity**

Styrene-Isoprene-Styrene Polymer (SIS)

In Vitro Bacterial Mutagenicity Study in E.Coli and S.Typhimurium from extract, for a representative substance.  
Result: Negative.**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.**Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.**Specific target organ toxicity - single exposure** Not classified.**Specific target organ toxicity - repeated exposure** Not classified.**Aspiration hazard** Not an aspiration hazard.**Mixture versus substance information** No information available.**11.2. Information on other hazards****Endocrine disrupting properties**

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Other information**

Styrene-Isoprene-Styrene Polymer (SIS)

Cytotoxicity Study using the Colony Assay in Chinese Hamster Lung Cells (V79); No significant and/or relevant adverse effects reported.; for a representative substance.  
In Vitro Haemolysis Study in Red Blood Cells, Japanese MHLW; No significant and/or relevant adverse effects reported.; for a representative substance.  
USP Muscle Implantation Study in Rabbits – 7 Day; No significant and/or relevant adverse effects reported.; for a representative substance.**SECTION 12: Ecological information****12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment.

Components	Species	Test Results
Styrene-Isoprene-Styrene Polymer (SIS) (CAS 25038-32-8)		
<b>Aquatic</b>		
<i>Acute</i>		
Fish	LC50 Rainbow trout	> 1000 mg/l, 96 hr

\* Estimates for product may be based on additional component data not shown.

**12.2. Persistence and degradability** Not inherently biodegradable.**12.3. Bioaccumulative potential** No data available.**Partition coefficient n-octanol/water (log Kow)** Not available.**Bioconcentration factor (BCF)** Not available.**12.4. Mobility in soil** No data available.**12.5. Results of PBT and vPvB assessment** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.**12.6. Endocrine disrupting properties** The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.**12.7. Other adverse effects** Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Not applicable.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary risk</b>	-
<b>Hazard No. (ADR)</b>	Not assigned.
<b>Tunnel restriction code</b>	Not assigned.
<b>14.4. Packing group</b>	Not assigned.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not assigned.

### RID

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary risk</b>	-
<b>14.4. Packing group</b>	Not assigned.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not assigned.

### ADN

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary risk</b>	-
<b>14.4. Packing group</b>	Not assigned.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not assigned.

### IATA

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary risk</b>	-
<b>14.4. Packing group</b>	Not assigned.
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not assigned.

### IMDG

<b>14.1. UN number</b>	Not regulated as dangerous goods.
<b>14.2. UN proper shipping name</b>	Not regulated as dangerous goods.
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	Not assigned.
<b>Subsidiary risk</b>	-
<b>14.4. Packing group</b>	Not assigned.

#### 14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions for user Not assigned.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended  
Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended  
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended  
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended  
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA  
Not listed.

##### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended  
Not listed.

##### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended  
Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.  
Not listed.

##### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended  
Not listed.

##### Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

##### National regulations

Follow national regulation for work with chemical agents.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

##### Water hazard class

AwSV Non-hazardous to water

### SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15 None.

**Revision information**

Product and Company Identification: Product and Company Identification  
SECTION 16: Other information: Disclaimer  
HazReg Data: Pacific Rim

**Training information**

Not available.

**Disclaimer**

KRATON CORPORATION urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information set forth in this document, as of the date of this document, is based on present knowledge, obtained from reliable sources and made to our reasonable ability and in good faith. Such information is made without any warranty or guarantee whatsoever, and shall establish no legal duty or responsibility on the part of the author(s), their employer or its affiliates. The information given is designed only as guidance and its completeness is not guaranteed. The information is not a guarantee of any specific product properties, features, qualities or specifications.

The information relates only to the specific product designated as shipped, and may not be valid for such product used in combination with any other materials or products, or in any process, unless expressly specified in this document. Nothing set forth in this document shall be construed as a recommendation or license to use any product in conflict with, or as claimed by, any existing patents rights. The user alone must finally determine whether a contemplated use of a product will infringe any such patents. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities are in compliance with all Local, Federal and International Legislation and Local Permits.

We, for ourselves and on behalf of our affiliates, expressly disclaim any and all liability for any damages or injuries arising out of any activities relating in any way to the information set forth in this document. Due to the proliferation of sources for information, we are not and cannot be responsible for SDSs obtained from any other source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

\*KRATON, the KRATON logo, the "Green Super Drop" logo, 1101, ABIETA, AQUATAC, BiaXam, BI-THIN, CENTURY, CENWAX, CirKular+, ELEXAR, ELLAMERA, E-LEXAR, HiMA, IMSS, IPD, NEXAR, PER-SUST, PriMul, RAD-THICK, REFLECTAID, REvolution, SYLFAT, SYLVABIND, SYLVABLEND, SYLVACLEAR, SYLVACOTE, SYLVADERM, SYLVAFUEL, SYLVAGEL, SYLVAGUM, SYLVALITE, SYLVAMIN, SYLVAPINE, SYLVAPRINT, SYLVARES, SYLVAROAD, SYLVAROS, SYLVASOLV, SYLVATAC, SYLVATAL, SYLVATRAXX, TER-SET, UNICLEAR, UNIDYME, UNIFLEX, UNI-REZ, UNI-TAC, and ZONATAC are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016-2023 Kraton Corporation